


SPECIFICATIONS

| | |
|--------------------------------------|---|
| Cores | 8448 Units |
| Memory | 16GB GDDR6X |
| Velocità Core Clock (MHz) | Extreme Performance: 2685 MHz (MSI Center) Boost: 2670 MHz |
| Velocità Memory Clock (MHz) | 21 Gbps |
| Schermi massimi | 4 |
| Consumi Energetici (W) | 285 W |
| Output | DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz HDR and 8K@60Hz HDR and Variable Refresh Rate (VRR) as specified in HDMI™ 2.1a) |
| Digital Maximum Resolution | 7680 x 4320 |
| Alimentatore raccomandato (W) | 700 W |
| Connettori di alimentazione | 16-pin x 1 |
| Versione DirectX Supportata | 12 Ultimate |
| Versione OpenGL Supportata | 4.6 |
| Peso | 1094 g / 1676 g |

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES



TRI FROZR 3

Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.



TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



Copper Baseplate

A solid nickel-plated copper baseplate transfers heat from the GPU to all heat pipes for better cooling.



Airflow Control

Wave-curved 3.0 fin edges disrupt unwanted airflow harmonics resulting in reduced noise.



Metal Backplate

A sturdy backplate helps to strengthen the graphics card while a flow-through design reduces trapped heat.



Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



Core Pipe

Precision-machined heat pipes ensure max contact and spread heat along the full length of the heatsink.



MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.